


excel®

**SPROCKET WHEELS
& PINIONS**



**All toothed wheels
are
not SPROCKETS**

**EXCEL Sprockets
are manufactured with
utmost care in selection of
right material,
precision machine cut tooth
and fine finish
to give you a prolonged
performance with enhanced
chain life.**



SMA®

STANDARD MATERIALS AGENCIES PVT. LTD.

45/46, PODAR CHAMBERS, S. A. BRELVI ROAD, MUMBAI 400 023

TEL.: 022-2266 3262 / 2266 3202 / 2266 5309. - FAX: 022 - 2266 1545

website: www.smaexcel.com

Email: smaexcel@bom2.vsnl.net.in


enquiry@smaexcel.com

WHEEL DIMENSIONS

For Chain No. 110038 - 0.375" Pitch

All Dimensions in Inches


SIMPLEX



No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
15	212006	0.875	0.500	1.50	0.870	1.99	1.804	0.770
17	212009	1.000	0.500	1.60	1.125	2.22	2.041	1.025
19	212011	1.125	0.500	1.80	1.125	2.45	2.278	1.025
21	212013	1.250	0.500	2.00	1.125	2.72	2.516	1.025
23	212015	1.625	0.500	2.48	1.140	2.96	2.754	1.040
25	212017	1.625	0.500	2.50	1.125	3.19	2.992	1.025
38	212030	1.500	0.875	2.75	1.250	4.72	4.541	0.975
57	212049	1.500	0.875	2.75	1.250	6.98	6.807	0.975
76	212068	1.500	0.875	2.75	1.250	9.24	9.074	0.975
95	212087	1.750	0.875	3.25	1.500	11.50	11.342	1.225
114	212106	1.750	0.875	3.25	1.500	13.77	13.609	1.225
150	212142	2.000	0.875	3.50	1.750	18.06	17.906	1.475

For Chain No. 114038 - 0.375" Pitch


DUPLEX



No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
17	212159	1.000	0.625	1.60	1.125	2.22	2.041	0.82
19	212161	1.125	0.625	1.80	1.125	2.45	2.278	0.82
21	212163	1.250	0.625	2.00	1.125	2.72	2.516	0.82
23	212165	1.625	0.625	2.48	1.260	2.96	2.754	0.96
25	212167	1.625	0.625	2.50	1.125	3.19	2.992	0.82
38	212180	2.000	1.000	3.50	1.500	4.72	4.541	1.20
57	212199	2.000	1.000	3.50	1.500	6.98	6.807	1.20
76	212218	2.000	1.000	3.50	1.500	9.24	9.074	1.20
95	212237	2.250	1.000	3.75	1.750	11.50	11.342	1.45
114	212256	2.250	1.000	3.75	1.750	13.77	13.609	1.45
150	212292	2.500	1.000	4.00	2.000	18.06	17.906	1.70

For Chain No. 116038 - 0.375" Pitch

TRIPLEX




No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
17	212309	1.000	0.75	1.60	1.50	2.22	2.041	0.99
19	212311	1.125	0.75	1.80	1.50	2.45	2.278	0.99
21	212313	1.250	0.75	2.00	1.50	2.72	2.516	0.99
23	212315	1.625	0.75	2.48	1.66	2.96	2.754	1.15
25	212317	1.625	0.75	2.50	1.50	3.19	2.992	0.99
38	212330	2.250	1.00	3.75	2.25	4.72	4.541	1.74
57	212349	2.250	1.25	3.75	2.25	6.98	6.807	1.74
76	212368	2.500	1.25	4.25	2.25	9.24	9.074	1.74
95	212387	2.500	1.25	4.25	2.25	11.50	11.342	1.74
114	212406	2.625	1.25	4.50	2.25	13.77	13.609	1.74
150	212442	3.000	1.25	5.00	2.60	18.06	17.906	1.99

WHEEL DIMENSIONS

For Chain No. 110046 - 0.50" Pitch

All Dimensions in Inches


SIMPLEX



No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
13	212455	0.875	0.625	1.45	1.125	2.36	2.089	0.985
15	212457	1.375	0.625	2.05	1.140	2.66	2.405	1.000
17	212459	1.500	0.625	2.36	1.140	2.96	2.721	1.000
19	212461	1.500	0.625	2.25	1.125	3.26	3.038	0.985
21	212463	1.500	0.625	2.50	1.125	3.63	3.355	0.985
23	212465	1.500	0.625	2.50	1.125	3.94	3.672	0.985
25	212467	1.500	0.625	2.50	1.125	4.26	3.989	0.985
38	212480	2.000	1.000	3.50	1.500	6.30	6.055	1.205
57	212499	2.000	1.000	3.50	1.500	9.30	9.076	1.205
76	212518	2.000	1.000	3.50	1.500	12.32	12.099	1.205
95	212537	2.000	1.000	3.50	1.750	15.34	15.122	1.455
114	212556	2.000	1.000	3.50	1.750	18.36	18.146	1.455

For Chain No. 114046 - 0.50" Pitch


DUPLEX



No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	212608	1.500	0.875	2.375	1.50	3.26	3.038	1.09
21	212609	1.750	0.875	2.750	1.50	3.63	3.355	1.09
23	212610	2.000	0.875	3.000	1.50	3.94	3.672	1.09
25	212611	2.250	0.875	3.375	1.50	4.26	3.989	1.09
38	212631	2.500	1.250	4.000	2.25	6.30	6.055	1.84
57	212650	2.500	1.250	4.000	2.25	9.30	9.076	1.84
76	212669	2.500	1.250	4.000	2.25	12.32	12.099	1.84
95	212688	2.750	1.250	4.750	2.50	15.34	15.122	2.09
114	212707	2.750	1.250	4.750	2.50	18.36	18.146	2.09

For Chain No. 116046 - 0.50" Pitch

TRIPLEX




No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	212770	1.500	0.875	2.30	1.85	3.26	3.038	1.16
21	212772	1.750	0.875	2.70	1.85	3.63	3.355	1.16
23	212774	2.000	0.875	3.00	1.85	3.94	3.672	1.16
25	212776	2.250	0.875	3.37	1.85	4.26	3.989	1.16
38	212784	2.250	1.125	4.00	1.85	6.30	6.055	1.16
57	212803	2.500	1.250	4.40	2.10	9.30	9.076	1.41
76	212822	2.750	1.375	5.00	2.40	12.32	12.099	1.71
95	212841	2.750	1.500	5.00	2.50	15.34	15.122	1.81
114	212860	3.000	1.500	5.20	2.80	18.36	18.146	2.11

WHEEL DIMENSIONS

For Chain No. 110056 - 0.625" Pitch

All Dimensions in Inches


SIMPLEX



No. of teeth	Catalogue No.	Max Bore A	Stock Bore B	Boss Dia. C	Distance through boss (min.) D	Top Dia E	Pitch Circle Dia. F	Chain centre to boss face G
11	213003	0.875	0.625	1.55	1.250	2.55	2.218	1.08
13	213005	1.125	0.625	1.97	1.250	2.97	2.612	1.08
15	213007	1.625	0.750	2.56	1.260	3.34	3.006	1.09
17	213009	1.875	0.875	2.95	1.500	3.72	3.401	1.32
19	213011	2.000	0.625	3.00	1.250	4.10	3.797	1.08
21	213013	2.000	0.625	3.00	1.250	4.56	4.193	1.08
23	213015	2.000	0.625	3.00	1.250	4.95	4.590	1.08
25	213017	2.000	0.625	3.00	1.250	5.34	4.987	1.08
38	213028	2.000	1.000	3.75	1.500	7.89	7.568	1.13
57	213043	2.250	1.000	4.00	1.750	11.65	11.346	1.38
76	213055	2.500	1.250	4.50	2.000	15.42	15.124	1.63
95	213065	2.500	1.250	4.50	2.250	19.20	18.903	1.88
114	213075	2.500	1.250	4.50	2.250	22.97	22.682	1.68

For Chain No. 114056 - 0.625" Pitch


DUPLEX



No. of teeth	Catalogue No.	Max Bore A	Stock Bore B	Boss Dia. C	Distance through boss (min.) D	Top Dia E	Pitch Circle Dia. F	Chain centre to boss face G
11	215603	0.875	0.625	1.55	2.20	2.55	2.218	1.36
13	215605	1.125	0.625	1.97	2.20	2.97	2.612	1.36
15	215607	1.625	0.750	2.56	2.21	3.34	3.006	1.37
17	215609	1.875	0.875	2.95	2.45	3.72	3.401	1.60
19	215611	2.000	0.625	3.00	2.20	4.10	3.797	1.36
21	215613	2.000	0.625	3.00	2.20	4.56	4.193	1.36
23	215615	2.000	0.625	3.00	2.20	4.95	4.590	1.36
25	215617	2.000	0.625	3.00	2.20	5.34	4.987	1.36
38	215628	2.000	1.000	3.75	2.45	7.89	7.568	1.41
57	215643	2.250	1.000	4.00	2.70	11.65	11.346	1.66
76	215655	2.500	1.250	4.50	2.95	15.42	15.124	1.91
95	215665	2.500	1.250	4.50	3.20	19.20	18.903	2.16
114	215675	2.500	1.250	4.50	3.20	22.97	22.682	2.16

For Chain No. 116056 - 0.625" Pitch

TRIPLEX




No. of teeth	Catalogue No.	Max Bore A	Stock Bore B	Boss Dia. C	Distance through boss (min.) D	Top Dia E	Pitch Circle Dia. F	Chain centre to boss face G
11	218603	0.875	0.625	1.55	3.15	2.55	2.218	1.84
13	218605	1.125	0.625	1.97	3.15	2.97	2.612	1.84
15	218607	1.625	0.750	2.56	3.16	3.34	3.006	1.85
17	218609	1.875	0.875	2.95	3.40	3.72	3.401	2.08
19	218611	2.000	0.625	3.00	3.15	4.10	3.797	1.84
21	218613	2.000	0.625	3.00	3.15	4.56	4.193	1.84
23	218615	2.000	0.625	3.00	3.15	4.95	4.590	1.84
25	218617	2.000	0.625	3.00	3.15	5.34	4.987	1.84
38	218628	2.000	1.000	3.75	3.50	7.89	7.568	1.89
57	218643	2.250	1.000	4.00	3.50	11.65	11.346	2.14
76	218655	2.500	1.250	4.50	3.90	15.42	15.124	2.39
95	218665	2.500	1.250	4.50	4.15	19.20	18.903	2.64
114	218675	2.500	1.250	4.50	4.15	22.97	22.682	2.64

WHEEL DIMENSIONS

For Chain No. 110066 - 0.75" Pitch

All Dimensions in Inches


SIMPLEX



No. of teeth	Catalogue No.	Max Bore A	Stock Bore B	Boss Dia. C	Distance through boss (min.) D	Top Dia E	Pitch Circle Dia. F	Chain centre to boss face G
15	213454	2.00	0.875	3.03	1.50	4.02	3.607	1.29
17	213456	2.25	0.875	3.54	1.50	4.47	4.082	1.29
19	213461	2.25	0.875	3.50	1.50	4.93	4.557	1.29
21	213463	2.25	0.875	3.50	1.50	5.48	5.032	1.29
23	213465	2.25	0.875	3.50	1.50	5.94	5.508	1.29
25	213467	2.25	0.875	3.50	1.50	6.41	5.984	1.29
27	213469	2.25	0.875	3.50	1.50	6.88	6.460	1.29
30	213472	2.25	0.875	3.50	1.50	7.59	7.175	1.29
38	213480	2.50	1.250	4.00	2.25	9.48	9.082	1.83
57	213499	2.50	1.250	4.00	2.25	13.99	13.615	1.83
76	213518	2.50	1.250	4.00	2.25	18.52	18.149	1.83
95	213537	2.50	1.250	4.00	2.50	23.05	22.684	2.08
114	213556	2.50	1.250	4.00	2.50	27.58	27.219	2.08

For Chain No. 114066 - 0.75" Pitch


DUPLEX



No. of teeth	Catalogue No.	Max Bore A	Stock Bore B	Boss Dia. C	Distance through boss (min.) D	Top Dia E	Pitch Circle Dia. F	Chain centre to boss face G
19	213619	2.25	1.125	3.40	1.75	4.93	4.557	1.15
21	213621	2.75	1.125	4.10	2.00	5.48	5.032	1.40
23	213623	2.75	1.125	4.10	2.00	5.94	5.508	1.40
25	213625	2.75	1.125	4.10	2.00	6.41	5.984	1.40
38	213634	2.75	1.375	4.90	2.20	9.48	9.082	1.60
57	213653	3.00	1.625	5.20	2.50	13.99	13.615	1.90
76	213672	3.25	1.750	5.80	2.80	18.52	18.149	2.20
95	213691	3.50	2.000	6.10	3.10	23.05	22.684	2.50
114	213710	3.75	2.000	6.70	3.40	27.58	27.219	2.90

For Chain No. 116066 - 0.75" Pitch

TRIPLEX




No. of teeth	Catalogue No.	Max Bore A	Stock Bore B	Boss Dia. C	Distance through boss (min.) D	Top Dia E	Pitch Circle Dia. F	Chain centre to boss face G
19	213761	2.625	1.25	3.80	2.50	4.93	4.557	1.52
21	213763	2.875	1.25	4.00	2.50	5.48	5.032	1.52
23	213765	3.000	1.25	4.25	2.50	5.94	5.508	1.52
25	213767	3.000	1.25	4.25	2.50	6.41	5.984	1.52
38	213780	3.000	1.50	5.50	3.00	9.48	9.082	2.02
57	213799	3.250	1.50	6.00	3.00	13.99	13.615	2.02
76	213818	3.500	1.75	6.50	3.00	18.52	18.149	2.02
95	213837	3.750	1.75	6.75	3.25	23.05	22.584	2.27
114	213856	4.000	2.00	7.00	3.50	27.58	27.219	2.52

WHEEL DIMENSIONS

For Chain No. 110088 - 1.0" Pitch

All Dimensions in Inches


SIMPLEX



No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
15	214004	2.625	1.00	4.10	1.81	5.37	4.810	1.50
17	214006	3.000	1.00	4.50	2.01	5.98	5.442	1.70
19	214011	3.000	1.25	4.50	2.00	6.59	6.076	1.69
21	214013	3.000	1.25	4.50	2.00	7.31	6.709	1.69
23	214015	3.000	1.25	4.50	2.00	7.93	7.344	1.69
25	214017	3.000	1.25	4.50	2.00	8.56	7.979	1.69
38	214028	2.750	1.25	5.00	2.50	12.65	12.110	1.98
57	214043	3.000	1.50	5.50	3.00	18.67	18.153	2.48
76	214055	3.250	1.50	6.00	3.00	24.70	24.198	2.48
95	214065	3.500	1.75	6.25	3.50	30.74	30.245	2.98
114	214075	3.750	1.75	6.75	3.75	36.78	36.292	3.23

For Chain No. 114088 - 1.0" Pitch


DUPLEX



No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	214101	3.375	1.50	4.75	3.00	6.59	6.075	2.06
21	214103	3.625	1.50	5.20	3.00	7.31	6.709	2.06
23	214105	4.250	1.50	6.00	3.00	7.93	7.344	2.06
25	214107	4.250	1.50	6.00	3.00	8.56	7.979	2.06
38	214118	3.500	1.75	6.25	3.00	12.65	12.110	2.06
57	214133	3.750	1.75	6.75	3.50	18.67	18.153	2.56
76	214145	4.000	2.00	7.00	3.75	24.70	24.198	2.81
95	214155	4.250	2.00	7.50	4.25	30.74	30.245	3.31
114	214165	4.500	2.00	8.00	4.50	36.78	36.292	3.56

For Chain No. 116088 - 1.0" Pitch


TRIPLEX



No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	214191	3.375	1.75		3.14	6.59	6.075	
21	214193	3.875	1.75	Without	3.14	7.31	6.709	Without
23	214195	4.375	1.75	Boss	3.14	7.93	7.344	Boss
25	214197	4.750	1.75		3.14	8.56	7.979	
38	214208	4.000	2.00	7.00	4.00	12.65	12.110	2.43
57	214223	4.250	2.00	7.50	4.00	18.67	18.153	2.43
76	214235	4.500	2.25	8.00	4.50	24.70	24.198	2.93
95	214245	4.750	2.25	8.25	4.50	30.74	30.245	2.93
114	214255	5.000	2.25	8.75	5.00	36.78	36.292	3.43

WHEEL DIMENSIONS

SIMPLEX



For Chain No. 110106 - 1.25" Pitch

All Dimensions in Inches


No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	214289	3.50	1.50	5.25	2.50	8.27	7.594	2.15
21	214291	3.50	1.50	5.25	2.50	9.15	8.387	2.15
23	214293	3.50	1.50	5.25	2.50	9.93	9.180	2.15
25	214295	3.50	1.50	5.25	2.50	10.71	9.973	2.15
38	214304	3.50	1.75	6.10	2.80	15.83	15.137	2.23
57	214316	3.75	2.00	6.70	3.20	23.36	22.691	2.63
76	214328	4.00	2.25	7.00	3.50	30.90	30.248	2.93

For Chain No. 110127 - 1.50" Pitch

All Dimensions in Inches

19	214559	4.00	1.75	6.00	3.00	9.79	9.113	2.53
21	214561	4.00	1.75	6.00	3.00	10.89	10.064	2.53
23	214563	4.00	1.75	6.00	3.00	11.82	11.016	2.53
25	214565	4.00	1.75	6.00	3.00	12.76	11.968	2.53
38	214572	4.00	2.25	7.00	3.30	18.89	18.164	2.63
57	214586	4.25	2.50	7.70	4.80	27.91	27.229	4.13
76	214598	4.75	2.75	8.50	5.30	36.96	36.298	4.63

DUPLEX



For Chain No. 114106 - 1.25" Pitch

All Dimensions in Inches


No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	214379	4.00	1.875	6.00	3.00	8.27	7.594	1.93
21	214381	4.00	1.875	6.00	3.00	9.15	8.387	1.93
23	214383	4.00	1.875	6.00	3.00	9.93	9.180	1.93
25	214385	4.00	1.875	6.00	3.00	10.71	9.973	1.93
38	214392	4.00	2.500	7.00	3.50	15.83	15.137	2.43
57	214406	4.50	2.750	8.10	5.00	23.36	22.691	3.93
76	214418	5.00	3.000	8.80	5.50	30.90	30.248	4.43

For Chain No. 114127 - 1.50" Pitch

All Dimensions in Inches

19	214649	4.75	2.25	7.10	3.60	9.79	9.113	2.18
21	214651	4.75	2.25	7.10	3.60	10.89	10.064	2.18
23	214653	4.75	2.25	7.10	3.60	11.82	11.016	2.18
25	214655	4.75	2.25	7.10	3.60	12.76	11.968	2.18
38	214662	4.75	2.75	8.50	5.30	18.89	18.164	3.88
57	214672	5.50	3.25	10.00	6.00	27.91	27.229	4.58
76	214688	6.00	3.50	10.50	6.60	36.96	36.298	5.18

TRIPLEX



For Chain No. 116106 - 1.25" Pitch

All Dimensions in Inches

No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	214469	4.25	2.125		3.60	8.27	7.594	
21	214471	4.75	2.125	Without	3.60	9.15	8.387	Without
23	214473	5.00	2.125	Boss	3.60	9.93	9.180	Boss
25	214475	5.50	2.125		3.60	10.71	9.973	
38	214482	4.50	2.750	8.00	5.00	15.83	15.137	3.21
57	214496	5.00	3.000	8.75	5.80	23.36	22.691	4.01
76	214508	5.50	3.500	10.00	6.40	30.90	30.248	4.51


For Chain No. 116127 - 1.50" Pitch

All Dimensions in Inches

19	214739	5.25	2.50		4.75	9.79	9.113	
21	214741	5.75	2.50	Without	4.75	10.89	10.064	Without
23	214743	6.25	2.50	Boss	4.75	11.82	11.016	Boss
25	214745	7.00	2.50		4.75	12.76	11.968	
38	214752	5.50	3.25	10.00	6.00	18.89	18.164	3.63
57	214766	6.00	3.75	10.50	6.90	27.91	27.229	4.63
76	214778	6.50	4.00	11.70	7.60	36.96	36.298	5.21

WHEEL DIMENSIONS

SIMPLEX



For Chain No. 110147 - 1.75" Pitch

All Dimensions in Inches


No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	215007	4.50	2.00	6.75	3.50	11.52	10.632	2.92
21	215008	4.50	2.00	6.75	3.50	12.77	11.742	2.92
23	215009	4.50	2.00	6.75	3.50	13.86	12.852	2.92
25	215010	4.50	2.00	6.75	3.50	14.96	13.963	2.92
38	215027	4.50	2.75	7.90	5.00	22.12	21.192	3.20
57	215034	5.00	3.00	8.80	5.80	32.65	31.767	3.65
76	215041	5.50	3.50	9.60	6.50	43.21	42.347	4.10

For Chain No. 110166 - 2.0" Pitch

All Dimensions in Inches

19	215187	5.00	2.25	7.50	3.50	13.30	12.151	2.92
21	215188	5.00	2.25	7.80	3.50	14.67	13.419	2.92
23	215189	5.00	2.25	7.50	3.50	15.92	14.688	2.92
25	215190	5.00	2.25	7.50	3.50	17.17	15.957	2.92
38	215207	5.00	3.00	8.80	5.80	25.37	24.219	3.65
57	215214	5.50	3.50	9.60	6.50	37.42	36.306	4.10
76	215221	6.00	4.00	10.50	6.50	49.49	48.397	4.10

DUPLEX



For Chain No. 114147 - 1.75" Pitch

All Dimensions in Inches


No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	215067	5.50	2.50	8.25	4.50	11.52	10.632	2.76
21	215068	5.50	2.50	8.25	4.50	12.77	11.742	2.76
23	215069	5.50	2.50	8.25	4.50	13.86	12.852	2.76
25	215070	5.50	2.50	8.25	4.50	14.96	13.963	2.76
38	215087	5.50	3.50	9.60	6.50	22.12	21.192	4.76
57	215094	6.00	4.00	10.50	6.50	32.65	31.767	4.76
76	215101	6.00	4.00	10.50	6.50	43.21	42.347	4.76

For Chain No. 114166 - 2.0" Pitch

All Dimensions in Inches

19	215247	6.00	3.00	9.00	4.50	13.30	12.151	2.76
21	215248	6.00	3.00	9.00	4.50	14.67	13.419	2.76
23	215249	6.00	3.00	9.00	4.50	15.92	14.688	2.76
25	215250	6.00	3.00	9.00	4.50	17.17	15.957	2.76
38	215267	6.00	4.00	9.60	6.50	25.37	24.219	4.00
57	215274	6.50	4.50	10.40	6.50	37.42	36.306	4.00
76	215281	7.00	5.00	11.20	7.00	49.49	48.397	4.00

TRIPLEX



For Chain No. 116147 - 1.75" Pitch

All Dimensions in Inches

No. of teeth	Catalogue No.	Max Bore	Stock Bore	Boss Dia.	Distance through boss (min.)	Top Dia	Pitch Circle Dia.	Chain centre to boss face
		A	B	C	D	E	F	G
19	215127	6.00	3.00		5.85	11.52	10.632	
21	215128	6.00	3.00	Without	5.85	12.77	11.742	Without
23	215129	6.00	3.00	Boss	5.85	13.86	12.852	Boss
25	215130	6.00	3.00		5.85	14.96	13.963	
38	215147	6.00	4.00	10.40	6.50	22.12	21.192	3.39
57	215154	6.50	4.50	10.40	6.50	32.65	31.767	3.59
76	215161	7.00	5.00	11.20	7.00	43.21	42.347	4.09

For Chain No. 116166 - 2.0" Pitch

All Dimensions in Inches

19	215307	6.50	3.50		5.77	13.30	12.151	
21	215308	6.50	3.50	Without	5.77	14.67	13.419	Without
23	215309	6.50	3.50	Boss	5.77	15.92	14.688	Boss
25	215310	6.50	3.50		5.77	17.17	15.957	
38	215327	6.50	4.50	10.40	6.50	25.37	24.219	3.63
57	215334	7.00	5.00	11.20	7.00	37.42	36.306	4.13
76	215341	8.00	5.50	12.80	7.50	49.49	48.397	4.63